

Stucco Technologies, Inc.

StuccoTek

Complete Stucco
Wall System



The Beauty of Stucco with the Strength of Steel!



StuccoTek

History

- European Origin
- Manufactured in U.S. for over 12 years
- Two Mid-West Based manufacturing plants





StuccoTek

Manufacturing Process

- Roll forming
 - 20 gauge hot dipped G90 galvanized steel
 - Epoxy primed
 - Panels 16 inches wide and available from 14” to 24’ in length
- Paint
 - Proprietary Formulation
 - 4 sizes marble crush
- Oven
 - 280 degrees ensuring paint is totally cured
- Packaging
 - 2 x 4, plywood, plastic wrapped for protection



StuccoTek

Benefits

- Complies with building codes, even those requiring a “masonry” finish.
- Corrosion resistant
- Easy Installation
 - Tongue & Groove Design
 - Hidden fastener system
- Year-Round Installation
 - Panels factory finished so installation can begin upon delivery
 - Expensive weather shields and framing are eliminated because our system is not effected by weather



StuccoTek

Benefits

- Absorbs Structural Movements
 - Movements in building structure are absorbed through narrow joints between panels
 - System will NOT crack as do EIF's and tilt-up construction products
- Maintenance Free
- Economical
 - Save money by using same crew that erected structure
 - Eliminates additional sub-contractors
- Future Customization
 - The panels can be painted if the customer wants to make color changes in the future.



StuccoTek

Testing

- Coating
- Adhesion
- Formability
- Color Retention
- Water Penetration
- Structural
- Freeze Thaw
- Racking Shear
- Air Infiltration
- Water Soak
- Salt Spray
- Flammability
- Weathering



StuccoTek

Colors

- 24 standard colors
- Up to 1500 colors are available for selection on a custom basis
- Color matching available



StuccoTek Warranty

25 Year warranty to be free from defects in material and workmanship.





StuccoTek

Projects Used

- Churches and Temples
- Shopping Malls
- Airports
- Aircraft Hangers
- Warehouses
- Fencing
- New Construction
- Renovation
- Schools
- Movie Theatres
- Health Care Facilities
- Apartment Buildings
- Offices
- Manufacturing
- Storage
- Mini-Storage
- Retail
- Industrial
- Child Care Facilities
- Agricultural
- Municipal Building
- Correctional Facilities



StuccoTek

Frequently Asked Questions

- Q: Are trim panels treated to same finish?
 - A: All trim is treated to match our panels surface.
- Q: What is the gauge of trims and flashings?
 - A: We use 24 gauge for corners, window/door trim and 20 gauge for base trim.
- Q. What does your panel attach to?
 - A: On pre-engineered buildings, StuccoTek simply attaches to girts. On steel and wood studs, a hat channel provided by StuccoTek is applied horizontally and the panel is attached with screws.
- Q. How does your panel attach?
 - A: We use a tongue & groove design that is fastened on the leading edge of the panels which are applied working from left to right. StuccoTek is a hidden fastener wall system.



StuccoTek

Frequently Asked Questions

- **Q: How can I get pricing?**
 - A: The best way to receive an accurate costing on your proposed project is to send or fax elevation drawings needed to assess the amount of panel and trim required.
- **Q: How do I order?**
 - A: Once accepted, a purchase order, color selection and down payment is sent to start the process and secure production.
- **Q: How do you ship?**
 - A: With few exceptions, commercial flatbed trucks are used for shipment directly to the jobsite. Several national freight carriers are used to attain the best rates possible.



StuccoTek

Gallery - Installation



Left to Right Installation

No exposed screws due to the Hidden Fastener System. The same crew that erects the building can easily install the panels.



StuccoTek

Gallery - Restoration



← Before



After →



StuccoTek

Gallery - Completed projects

